

NanoPure

經銷商

南宜國際材料有限公司

■ 總公司 TEL: 03-560-1270

新竹縣竹北市台元科技園區台元一街8號6樓之1

■ 台中 TEL: 03-560-1270 ■ 台南 TEL: 06-599-2080

✉ service@cemabearing.com

🌐 www.sinmat.com.tw

昆山南宜喜瑪商贸有限公司

■ TEL: 86-512-5527-6656

✉ service@cemabearing.com.cn

🌐 www.cematechnology.com



PRESSURE REGULATOR



- Pressure reducing
- Atmospheric pressure control
- Spring, dome, air loaded
- Working pressure up to 3,500 psig (bar)
- Temperatures from -40° F to 165° F / -40° C to 74° C

Bulk specialty gas systems & gas cabinet pressure regulators



- **Body material:** SS 316L, SS 316L VAR
- **Inlet pressure:** 3500, 1500, 300 psig
- **Outlet pressure:** 30, 60, 100, 150 psig
- **Flow range:** 0-100, 0-500, 0-1000 SLPM
- **Poppet design:** Free diaphragm, Tied diaphragm
- **Inboard leak rate:** $< 1 \times 10^{-9}$
- Hastelloy® trim available
- **Surface finish electropolish:** 5 μ inch, 10 μ inch
- **Cv:** 0.06, 0.15, 0.25, 1.0, 1.8

1/4" Point of use pressure Regulator



- **Body material:** SS 316L, SS 316L VAR
- **Inlet pressure:** 3500, 1000, 600, 250 psig
- **Outlet pressure:** 30, 60, 100 psig
- **Flow range:** 0-100 SLPM
- **Poppet design:** Free diaphragm, Tied diaphragm
- **Inboard leak rate:** $< 1 \times 10^{-9}$
- Hastelloy® trim available
- **Surface finish electropolish:** 5 μ inch, 10 μ inch
- **Cv:** 0.06, 0.15, 0.25

1/2" Point of use pressure Regulator



- **Body material:** SS 316L, SS 316L VAR
- **Inlet pressure:** 1200, 600, 250 psig
- **Outlet pressure:** 30, 60, 100, 250 psig
- **Flow range:** 0-500, 0-1000 SLPM
- **Poppet design:** Free diaphragm, Tied diaphragm
- **Inboard leak rate:** $< 1 \times 10^{-9}$
- Hastelloy® trim available
- **Surface finish electropolish:** 5 μ inch, 10 μ inch
- **Cv:** 1.0, 1.8

Facility pressure Regulator



- **Body material:** SS 316L
- **Inlet pressure:** 600, 300 psig
- **Outlet pressure:** 30, 60, 100, 150 psig
- **Flow range:** 0-100, 0-500, 0-1000, 0-7000, 0- 50000 SLPM
- **Poppet design:** Free diaphragm
- **Inboard leak rate:** $< 1 \times 10^{-8}$
- **Surface finish:** 10 μ inch
- **Cv:** 0.25, 1.0, 1.8, 5, 10



Stock Code 300260

Lion Hygienic Materials Co., Ltd

No.22 Lufeng west road, Kunshan,
Jiangsu, P. R. China

Tel: 86-512-5787-1991

Fax: 86-512-5787-1472

Email: info@kinglai.com.tw

www.king-lai.com



經銷商

南宜國際材料有限公司

■ 總公司 TEL: 03-560-1270

新竹縣竹北市台元科技園區台元一街8號6樓之1

■ 台中 TEL: 03-560-1270 ■ 台南 TEL: 06-599-2080

✉ service@cemabearing.com

🌐 www.sinmat.com.tw

昆山南宜喜瑪商贸有限公司

■ TEL: 86-512-5527-6656

✉ service@cemabearing.com.cn

🌐 www.cematechnology.com

